

51" BOONE

ACRYLIC FREESTANDING TUB

SKU: 929474



FEATURES

Design: Modern
Product Finish: White
Overflow Hole: Optional
Shape: Oval
Material: Acrylic
Length: 51-1/4"
Width: 25-3/4"
Height: 19-3/4"
Tap Deck: Yes
Drain Included: Optional
Drain Placement: Offset
Faucet Included: No
Faucet Drillings: No Drillings
Built-In Adjusters: Yes
Water Depth To Overflow: 12-3/4"
Water Capacity Without/With Overflow
(Gallons): 43/36
Tub Weight Uncrated (lbs): 72
Tub Weight Crated (lbs): 182

SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.

CONTENTS

AIR TUB PAGE 2
51" TUB PAGE 3

REVISED 4/11/2019

51" BOONE AIR TUB

COMPONENTS LIST

- BM-TWP BALL CHECK VALVE JETS
- MANI-SD-A SECURITY DEVICE
- MAN-A-4-AC MANIFOLD
- SILVER SLS+ VARIABLE SPEED BLOWER

INSTALLATION

Install blower behind a wall (with an access panel) or in a closet. Blower can also be installed under floor. Ensure the security device, MANI-DS-A, is at least:

- 2" Above the bottom of overflow hole OR
- 2" Above the tub rim

Security device and hose can be mounted in wall

REMOTE CONTROL

- CG+/RTC-SENSOR-WP
- 12 – 15 YEAR BATTERY LIFE

INSIDE OF BATH


- (12) MAXI AIR JETS WITH 24 OPENINGS




ELBOWS FOR AIR JETS




TEES FOR AIR JETS



FOR TUBS WITH OVERFLOW







FOR TUBS WITHOUT OVERFLOW



51" BOONE

ACRYLIC FREESTANDING TUB

SKU: 929474



FEATURES

- Design: Modern
- Product Finish: White
- Overflow Hole: Optional
- Shape: Oval
- Material: Acrylic
- Length: 51-1/4"
- Width: 25-3/4"
- Height: 19-3/4"
- Tap Deck: Yes
- Drain Included: Optional
- Drain Placement: Offset
- Faucet Included: No
- Faucet Drillings: No Drillings
- Built-In Adjusters: Yes
- Water Depth To Overflow: 12-3/4"
- Water Capacity Without/With Overflow (Gallons): 43/36
- Tub Weight Uncrated (lbs): 72
- Tub Weight Crated (lbs): 182

SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



All measurements are approximate. Measurements may vary +/- 1".

PAGE 3